

09/585,222

REMARKS

Claims 1 and 5 are rejected, under 35 U.S.C. § 102, as being anticipated by Gonzalez '526. The Applicant acknowledges and respectfully traverses the raised anticipatory rejection in view of the following remarks.

As the Examiner is aware, in order to properly support an anticipation rejection under 35 U.S.C. § 102, the prior art reference must disclose each and every element of the presently claimed invention. The Examiner alleges in paragraph 3 of the Official Action that "Gonzalez discloses a ball valve comprising a valve body 10 made of bar stock; an eccentric flow passage; and a quarter turn valve 11". The Applicant has made a thorough study of the Gonzalez reference, particularly Figs. 1 and 2 as well as the detail description, and can find no disclosure relating to an eccentric flow passage.

Observing Fig. 1 of the Gonzalez reference, which is specifically drawn to a lockable end plug 22 for valve housings, a bore is shown formed directly along and about the longitudinal center axis of the valve body 10A. Gonzalez fails to reveal anything other than a conventional central valve bore defining equally dimensioned opposing valve body walls. Turning to Fig. 2 of Gonzalez, there is shown a cross-sectional view along the line 2-2 of Fig. 1. This cross-section incorrectly shows the valve body wall adjacent the valve stem 14 having a smaller, or thinner, cross sectional area. It is respectfully submitted that this representation in Fig. 2 is an inaccurate corresponding figure. The Applicant believes that the error of Fig. 2 is a drafting flaw which the Examiner has applied out of context with respect to the presently claimed invention.

Accordingly, Fig. 2 is believed to be an incorrect rendering of the cross-section shown in Fig. 1. As can be appreciated by persons of ordinary skill in the art, a proper cross-sectional representation of Fig. 1 along the line 2-2 should show equal wall thicknesses on any opposing side. Furthermore, there is no express or inherent disclosure, teaching or suggestion in the specification that supports any positioning of the longitudinal through bore other than along the central axis of the bar stock as shown in Fig. 1. The Applicant also notes in Fig. 2 that the cross hatching lines indicating the cross-section portion of the valve body 10a are spaced

09/585,222

differently between the upper wall section adjacent the valve stem 14 and the opposing lower wall section. A properly drawn figure should show cross hatching by regularly spaced oblique parallel lines as required under 37 C.F.R. 1.84, and thus the Applicant believes this to be additional evidence that the Fig. 2 is an incorrect cross-sectional depiction of Fig. 1 and Gonzalez '526 described valve. Therefore, the Applicant respectfully requests withdrawal of the anticipation rejection.

In view of the fact that claims 2, 3 and 6 now depend from claims 1 and 5 respectively, which are believed allowable in view of the above remarks, these dependent claims are thus believed to be allowable as well. However, in order to address all the issues raised in the official action the Applicant provides the further following remarks with respect to the raised obviousness rejections.

Claims 2, 3 and 6 are rejected, under 35 U.S.C. § 103, as being unpatentable over Gonzalez '526 in view of Rawstron et al. '032. The Applicant acknowledges and respectfully traverses the raised obviousness rejection in view of the following remarks.

As the Examiner is undoubtedly aware, in order to properly combine references, there must be some teaching, suggestion or motivation in the references which would lead one of ordinary skill in the art to combine the references as alleged by the Examiner. Primarily, as pointed out in the Applicant's previous response, Rawstron et al. '032 is drawn to a cast valve casing specifically a "casing consisting of two sections secured together by bolts 12 and sealed by an O ring 13". Such a cast casing is particularly different, as well as significantly more expensive, than utilizing common bar stock as shown in Gonzalez '526 and claimed in the present invention.

Additionally, Rawstron et al. '032 is a three-way cast ball valve and Gonzalez '526 relates merely to a lockable plug for use in an elongated bar stock housing. It is the Applicant's position that any novelty disclosed in Gonzalez '526 relating to the lockable plug for the bar stock valve housing relates to such different devices and separate functions of these respective

09/585,222

devices, that no person of ordinary skill in the art would, in any manner combine the two references to produce the invention as specifically claimed.

Furthermore, even a combination of Rawstron et al. '032 and Gonzalez '526, if proper, and such is adamantly not conceded, still does not show, teach or disclose, either expressly or inherently, the features of the presently claimed invention, most notably as recited in claim 1, "a through machine flow port located eccentrically on said inlet and said outlet ends; wherein said main flow port eccentric location increases the available bar stock thickness at one outer wall location and decreases bar stock thickness in the opposite wall." Therefore the Applicant believes that claims 2, 3 and 6 are unobvious in view of the cited art and respectfully requests withdrawal of the obviousness rejections.

With respect to claim 6, in addition to the above amendment, the Applicant can find no teaching or suggestion that would lead a person of ordinary skill in the art to fabricate the valve having the eccentrically positioned through bore at least the steps of: "..... machining a throughbore in said barstock symmetrically about the offset throughbore axis to produce an eccentrically located throughbore defining a thicker portion and a thinner portion of said barstock outer wall.." and "...machining a valve stem bore perpendicular to said throughbore in the thicker portion of the barstock outer wall located a maximum distance from said offset throughbore axis..".

Finally, the Applicant has added new claims 7 and 8 to further clarify the inventive subject matter of this application. Claim 7 is specifically drawn to the two port valve having the stem located in the thicker section of the eccentrically formed walls of the valve body, specifically as recited in claim 7, "A barstock body for a two port fluid control valve comprising...and a machined stem port formed perpendicular to said flow port through said first outer wall having the increased wall thickness.". Claim 8 recites a three port valve body having the valve stem located in the thinner section of the eccentrically formed wall across from the thicker section necessary to adequately support the third or bottom port of the three port valve.

These claims are believed to include further features not anticipated nor rendered obvious in view of any of the cited art and are thus believed allowable as well.

In view of the foregoing, it is respectfully submitted that the raised anticipation and obviousness rejections should be withdrawn and this application is now placed in a condition for allowance. Action to that end, in the form of an early Notice of Allowance, is courteously solicited by the Applicant at this time.

The Applicant respectfully requests that any outstanding objection(s) or requirement(s), as to the form of this application, be held in abeyance until allowable subject matter is indicated for this case. In the event that there are any fee deficiencies or additional fees are payable, please charge the same or credit any overpayment to our Deposit Account (Account No. 04-0213).

Respectfully submitted,

DRAFT
FOR DISCUSSION ONLY

Scott A. Daniels, Reg. No. 42,462
Customer No. 020210
Davis & Bujold, P.L.L.C.
Fourth Floor
500 North Commercial Street
Manchester NH 03101-1151
Telephone 603-624-9220
Facsimile 603-624-9229
E-mail: patent@davisandbujold.com

CERTIFICATE OF TRANSMISSION

I hereby certify that this correspondence is being transmitted via facsimile to the United States Patent and Trademark Office on: December 12, 2001

Scott A. Daniels

Type name of person signing certificate